Technical Data Sheet

ChangFu® TPOS

Tetrapropoxysilane



- DescriptionChangFu® TPOS functions not only as an effective coupling and crosslinking agent in paints
and coatings, but also as a surface modification agent for silica in silicone rubber.
Furthermore, it works well as an RTV crosslinking agent. It is also an important precursor for
the production of aerogels and silicon microspheres.
- Features & BenefitsHigh reactivity and lower volatility.
Excellent wettability and dispersibility.
Can undergo hydrolysis reaction in the presence of water or moisture.
High-performance crosslinking agent with adjustable crosslinking degree.
Good stability throughout storage and use.
- ApplicationsUsed as a coupling agent, a crosslinking agent and a filler modifier in paints and coatings,
adhesives and sealants, electronic and aerospace components industries.
Used for the synthesis of silicone resin with high temperature resistance performance.
Used as a surface treatment agent of fibers, ceramics, metals, glass, and other inorganic
substrates.
Used as a key raw material for the production of construction sealing materials.

Typical Properties

| Product No. | ChangFu® TPOS |
|-------------|---|
| Description | Tetrapropoxysilane; Tetrapropyl Orthosilicate |
| CAS No. | 682-01-9 |
| Formula | C12H28O4Si |
| Purity | min 98% |
| Color | Colorless or light yellow |
| Appearance | Clear liquid |

| Package | Offered in 25L pails and 200L drums. |
|----------------|--|
| | Custom packaging is available. |
| | |
| Storage | Stored in a cool, well-ventilated place. |
| | Keep container tightly closed. |
| | |
| Transportation | See the corresponding Safety Data Sheet. |