Technical Data Sheet

ChangFu® BEX12

1,3-Bis[2-(3,4-epoxycyclohexyl)ethyl]-1,1,3,3-tetramethyldisiloxane



Description ChangFu® BEX12 is a specialty epoxy siloxane compound with high reactivity. Due to its low surface tension and better lubrication properties, it has been widely used in various fields such as surface treatment, coatings, inks, sealants, and adhesives. When mixed with epoxy resin, it is able to improve the crosslinking density and heat resistance of the resulting polymers.

- Features & BenefitsDual-end siloxane with epoxycyclohexyl group.Highly reactive with various organic compounds.Workable in water-borne system.Excellent crosslinking agent for epoxy system.
- ApplicationsUsed as an important additive in the synthesis of silicone polymers that are mainly utilized in
electronics, semiconductors, automobiles, and textile industries.
Used as a crosslinking agent and curing agent to improve the weatherability, hardness and
elasticity of paints and coatings, sealants, and adhesives.

Typical Properties

Description	1,3-Bis[2-(3,4-epoxycyclohexyl)ethyl]-1,1,3,3-tetramethyldisiloxane
Product No.	ChangFu® BEX12
CAS No.	18724-32-8
Formula	C20H38O3Si2
Purity	min 97%
Color	Colorless or light yellow
Appearance	Clear liquid

Package	Offered in 25L pails and 200L drums.
	Custom packaging is available.
Storage	Stored in a cool, well-ventilated place.
	Keep the container tightly closed.
Transportation	See the corresponding Safety Data Sheet.